

K 2 CLASSIC

Ultra-compact, easy to transport and easy to store: The K 2 Classic pressure washer is ideally suited for lighter soiling around the home.



Order no. 1.673-570.0

- Compact and easy to operate, area performance of 20 m²/h
- 3 m HD hose
- Dirt blaster, single spray lance

Technical data

EAN code		4066529041265
Voltage	V	220 - 240
Frequency	Hz	50 - 60
Pressure	bar / MPa	max. 110 / max. 11
Flow rate	l/h	max. 360
Area performance	m²/h	20
Inlet temperature	°C	max. 40
Rated input power	kW	1.4
Power cable	m	5
Colour		Yellow
Weight without accessories	kg	3.4
Weight incl. packaging	kg	4.6
Dimensions (L × W × H)	mm	178 × 219 × 415

Scope of supply

High-pressure gun: G 135 Q
 One-jet spray lance
 Dirt blaster
 High-pressure hose: 3 m
 Adapter for A3/4" garden hose connector

Equipment

Device-side Quick Connect
 Integrated water filter



Hose storage on the front cover

- The hose can be conveniently hung up on the front cover.



Sits comfortably in the hand

- The device is easy to transport. When the carrying handle is not needed, it disappears into the housing.



Easy Connect

- The high-pressure hose is quick and easy to click in and out of the device and trigger gun.

ACCESSORIES FOR K 2 CLASSIC

1.673-570.0



		Order no.	Description	
SPRAY LANCES				
DB 135 dirt blaster	1	2.642-727.0	Dirt blaster with powerful entry rotary nozzle for Kärcher pressure washers in classes K 2 and K 3. For particularly stubborn dirt like that on mossy or weathered surfaces.	■
Telescopic spray lance	2	2.642-347.0	Telescopic spray lance (1.20 m – 4 m) for easy cleaning of difficult to reach areas. With shoulder strap, bayonet connection and integrated, ergonomically adjustable trigger gun. Weight: ca. 2 kg	□
VP 120 vario power jet for K 2-K 3	3	2.642-724.0	Vario power spray lance for pressure washers in classes K 2 to K 3. Continuously adjustable from low-pressure detergent jet to high-pressure jet, simply by turning the spray lance.	□
TLA 4 telescopic spray lance	4	2.644-190.0	Simple cleaning at (almost) every point: The telescopic spray lance easily reaches areas that are difficult to access thanks to its 180° adjustable hinge.	□
Façade & glass cleaning kit	5	2.644-249.0	Set comprising the telescopic spray lance TLA 4 and the façade and glass cleaning attachment. For easy cleaning of objects that are difficult to access such as house façades or conservatories.	□
Splash guard	6	2.642-706.0	Transparent splash guard for class K 2 to K 7 Kärcher pressure washers protects the operator and surrounding area from spray water. Ideal for cleaning corners and edges.	□
Angled spray lance	7	2.638-817.0	Extra-long angled spray lance (about 1 m) for easy cleaning of difficult to reach areas, e.g. roof gutters or vehicle underbodies.	□
1-step lance extension	8	2.643-240.0	Extends spray lance by 0.4 m. For effective cleaning of difficult to reach areas. Suitable for all Kärcher accessories.	□
Eco!Booster 120	9	2.644-551.0	Ideal for sensitive surfaces – the eco!Booster delivers a 50% higher cleaning performance than the Kärcher standard flat jet, saving water, energy and time.	□
VP 180 S vario power jet short 360° for K 2-K 7	10	2.643-254.0	VP 180 S: The vario power jet short 360° with infinitely variable pressure regulation and adjustable 360° joint is ideal for cleaning areas that are difficult to reach.	□
VP 135 vario power jet	11	2.644-427.0	Vario Power spray lance VP 135 for pressure washers in classes K 2 and K 3. Infinitely adjustable from low-pressure jet to high-pressure jet, simply by turning the spray lance.	□
SURFACE CLEANERS				
PS 40 power scrubber surface cleaner	12	2.643-245.0	Power Scrubber PS 40 with 3 integrated high-pressure nozzles. Eliminates stubborn dirt from various surfaces powerfully, reliably and in a time-saving manner. Ideal for stairs and edges. Includes integrated squeegee blade to remove the dirty water.	□
T 5 T-Racer surface cleaner	13	2.644-084.0	Thorough and splash-free cleaning over large areas: The T 5 T-Racer surface cleaner. The adjustable nozzle position means the surface cleaner can be used to clean hard and delicate surfaces alike.	□
PS 30 power scrubber surface cleaner	14	2.644-123.0	The PS 30 power scrubber, with its three integrated high-pressure nozzles, powerfully removes stubborn dirt from various surfaces, while saving time. Ideal for stairs and edges. Includes integrated squeegee blade to remove the dirty water.	□

■ Included in the scope of supply. □ Available accessories.

ACCESSORIES FOR K 2 CLASSIC

1.673-570.0



		Order no.	Description	
SURFACE CLEANERS				
PS 30 Plus power scrubber surface cleaner	15	2.644-212.0	The PS 30 Plus power scrubber removes stubborn dirt with its three high-pressure nozzles. Thanks to the swivelling side nozzle, all corners and edges are effortlessly cleaned.	☐
BRUSHES				
WB 7 Plus 3-in-1 wash brush	16	2.644-374.0	Particularly versatile thanks to its clever combination: The WB 7 Plus 3-in-1 wash brush combines a foam jet, high-pressure flat spray nozzle and a soft brush in a single product.	☐
WB 150 power brush	17	2.643-237.0	WB 150 power brush for splash-free cleaning of sensitive surfaces. The effective combination of high pressure and manual brush pressure saves energy, water and up to 30% time.	☐
WB 120 rotating wash brush	18	2.644-060.0	Rotating wash brush with interchangeable attachment for cleaning all smooth surfaces such as paint, glass or plastic. Quick and easy attachment changing thanks to the integrated release lever.	☐
WB 130 rotating wash brush	19	2.644-286.0	Always in motion: The rotating wash brush with interchangeable attachment cleans smooth surfaces such as paint, glass or plastic. Quick attachment changes thanks to the integrated release lever.	☐
Rotating wash brush	20	2.644-061.0	Ideal for cleaning smooth surfaces such as paint, glass or plastic: The rotating wash brush with interchangeable attachment.	☐
	21	2.644-288.0	Effective cleaning of smooth surfaces such as paint, glass or plastic: The rotating wash brush with interchangeable attachment.	☐
WB 120 rotating wash brush car & bike	22	2.644-129.0	Gently cleans cars and motorbikes: The rotating wash brush with innovative soft microfibre interchangeable attachment Car & Bike. Machine washable at 60 °C.	☐
WB 130 rotating wash brush car & bike	23	2.644-287.0	Gentle cleaning of cars and motorbikes: The rotating wash brush with innovative removable microfibre Car & Bike attachment. Machine washable at 60 °C.	☐
WB 60 soft surface wash brush	24	2.643-233.0	Soft surface brush for cleaning larger surfaces such as cars, caravans, boats, photovoltaic systems, conservatories and shutters. Good area performance thanks to a working width of 248 mm.	☐
Wheel washing brush	25	2.643-234.0	Wheel washing brush for effective cleaning also in difficult to reach areas. Uniform 360° water distribution for a perfect cleaning result.	☐
Wash brush	26	6.903-276.0	Wash brush with soft bristles for cleaning sensitive areas and areas which are difficult to access in the outside area. Suitable for all Kärcher K 2 to K 7 pressure washers.	☐
	27	2.642-783.0	Universal brush with ergonomic handle and soft bristles for thorough and gentle cleaning of all surfaces.	☐
TRIGGER GUNS				
G 180 Q COMFORT!Hold gun	28	2.644-434.0	The G 180 Q COMFORT!Hold trigger gun for pressure washers ensures maximum comfort by reducing the holding force.	☐

☐ Available accessories.

ACCESSORIES FOR K 2 CLASSIC

1.673-570.0



		Order no.	Description	
TRIGGER GUNS				
G 180 Q gun	29	2.642-889.0	The G 180 Q Quick Connect trigger gun for convenient, ergonomic cleaning with the pressure washer.	☐
PIPE CLEANING				
PC 7.5	30	2.644-491.0	Pipe cleaning kit with 7.5 m hose for cleaning pipes, drains and downpipes and for removing blockages. With practical changing system and two nozzles included.	☐
PC 15	31	2.644-492.0	Pipe cleaning kit with 15 m hose for cleaning pipes, drains and downpipes and for removing blockages. With practical changing system and two nozzles included.	☐
PC 20 roof gutter and pipe cleaning kit	32	2.642-240.0	The gutter and pipe cleaning kit works all by itself – with high pressure. It easily cleans outflows, pipe blockages and gutters. Hose length: 20m.	☐
PC 15 pipe cleaning kit	33	2.637-767.0	Pipe cleaning kit with 15 m hose for clearing blockages in pipes, drains and downpipes.	☐
PC 7.5 pipe cleaning kit	34	2.637-729.0	Pipe cleaning kit with 7.5 m hose for clearing blockages in pipes, drains and downpipes.	☐
FOAM JET				
FJ 6 foam jet	35	2.643-147.0	FJ 6 foam nozzle for cleaning with powerful foam (e.g. ultra foam cleaner). For cars, motorcycles etc. and for applying cleaning products to stone and wood surfaces and façades.	☐
FJ 3 foam jet	36	2.643-150.0	FJ 3 foam nozzle for cleaning with powerful foam (e.g. ultra foam cleaner). For cars, motorcycles etc. and for applying cleaning products to stone and wood surfaces and façades.	☐
	37	2.645-383.0	FJ 3 foam jet for cleaning with powerful foam (e.g. Ultra Foam Cleaner). For cars, motorcycles, etc., as well as for applying care agents to stone, wood and façade surfaces.	☐
FJ 10 C Connect 'n' Clean foam jet + Ultra Foam Cleaner	38	2.643-143.0	Ultra foam cleaner + quick-change system FJ 10 C Connect 'n' Clean foam nozzle. Easy change between different detergents with just a simple click.	☐
FJ 10 C foam jet Connect 'n' Clean with car shampoo 3-in-1	39	2.643-144.0	Car shampoo + quick-change system FJ 10 C Connect 'n' Clean foam nozzle. Easy change between different detergents with just a simple click.	☐
MISCELLANEOUS				
SH 5 suction hose	40	2.643-100.0	Environmentally friendly 5-metre long suction hose for sucking up water from alternative sources such as water butts or water containers.	☐
SH 3 suction hose	41	2.643-101.0	3 metre suction hose for drawing water from alternative sources such as water butts and barrels.	☐
Sand and wet-blasting kit	42	2.638-792.0	Sand and wet-blasting kit for removing rust, paint and stubborn dirt using Kärcher abrasive.	☐

☐ Available accessories.

ACCESSORIES FOR K 2 CLASSIC

1.673-570.0



		Order no.	Description	
MISCELLANEOUS				
Vario joint	43	2.640-733.0	Vario joint, rotates 180° for cleaning difficult to reach areas. For connection between gun and accessory or extension lance and accessory.	☐
Water filter	44	4.730-059.0	Water filter protects pressure washer pumps against dirt particles from dirty water.	☐
	45	2.642-794.0	Water filter to protect the high-pressure pump against dirt particles from contaminated water.	☐
O-ring set	46	2.640-729.0	Replacement O-ring set for easy replacement of O-rings and safety plugs on pressure washer accessories.	☐
HIGH-PRESSURE HOSES				
High-pressure replacement hose: With anti-twist system and Quick Connect system				
H 10 Q Flex PremiumFlex anti twist	47	2.643-585.0	Innovative PremiumFlex high-pressure hose with anti-twist system for twist-free work. 10 m long. Includes Quick Connect adapter. For devices in classes K 2 to K 7. Not suitable for hose reel devices and Full Control, Power Control, Smart Control and Comfort devices in classes K 4 to K 7.	☐
High-pressure replacement hose: system starting 2009 with Quick Connect system				
H 9 Q high-pressure hose Quick Connect	48	2.641-721.0	9 m high-pressure replacement hose for K 2 to K 7 pressure washers manufactured since 2009, on which the hose is attached to the spray gun and device with a Quick Connect quick coupling. 180 bar, 60°C.	☐
High-Pressure replacement hose kit system starting 1992				
Extension hose adapter kit	49	2.643-037.0	Two-part adapter set for connecting an extension hose with screw thread to a pressure washer with a Quick Connect system. Not for hose reel machines.	☐
High-pressure extension hose: System for devices with Quick Connect system				
XH 6 Q extension hose Quick Connect	50	2.641-709.0	High-pressure extension hose for greater flexibility. 6 m robust DN 8 quality hose for durability. For K 2 to K 7 series from 2008 with Quick Connect adapter. Connect between spray gun and high-pressure hose.	☐
HOSE STORAGE AND HOSE TROLLEY				
HT 2	51	2.645-361.0	The mobile and stable hose trolley impresses with its extra wide base for maximum stability. A compact model with a height-adjustable handle for small gardens.	☐
HT 2.20 Set	52	2.645-362.0	The compact and mobile hose trolley with an extra wide base for maximum stability, 20 m Kärcher hose, watering accessories and nozzle, as well as a height-adjustable handle.	☐
HT 3	53	2.645-363.0	Mobile and stable: The hose trolley for medium-sized gardens scores points with its extra-wide base for maximum stability and its height-adjustable handle. Includes nozzle holder.	☐
HT 3.20 Set	54	2.645-364.0	The hose trolley with nozzle holder impresses with its extra wide base for maximum stability, height-adjustable handle, 20 m garden hose and watering accessories.	☐
HT 4	55	2.645-365.0	Everything under control: the hose trolley scores points with its robust hose reel, extra-wide base for maximum stability, precise hose guide and height-adjustable handle.	☐
HT 4.20 Set	56	2.645-366.0	The mobile hose trolley set impresses with its extra wide base, precise hose guide and height-adjustable handle and is ready for immediate use, including a 20 m hose and accessories.	☐

☐ Available accessories.

ACCESSORIES FOR K 2 CLASSIC 1.673-570.0



		Order no.	Description	
HOSE STORAGE AND HOSE TROLLEY				
HT 5 M	57	2.645-367.0	The mobile and stable hose trolley impresses with a robust metal hose reel, extra-wide base, precise hose guide and height-adjustable handle.	☐
HT 5.20 M Set	58	2.645-368.0	The hose trolley scores points with its robust metal reel, wide base for high stability and 20 m hose and is ready for immediate use with the enclosed watering accessories.	☐
HT 6 M	59	2.645-369.0	The mobile and stable hose trolley scores points with a robust metal hose reel and an extra-wide base, as well as precise hose guides and a height-adjustable handle.	☐
HR 2.10 Set	60	2.645-370.0	Complete set for convenient watering and space-saving hose storage. Ready for immediate use with a 10 m Kärcher garden hose, connectors, tap adapter and nozzle.	☐
HR 3	61	2.645-371.0	One hose reel – two functions: the HR 3 is used both for storing the hose on the wall and for mobile use in the garden. This is what flexible watering looks like.	☐
HR 3.20 Set	62	2.645-372.0	One hose reel – two functions: the HR 3.20 set with 20 m hose and accessories is used both for storing the hose on the wall and for mobile use in the garden.	☐
HR 4	63	2.645-373.0	For hose storage on the wall and as a mobile hose reel: the HR 4 offers both options and can be easily removed from the wall for flexible watering.	☐
HR 4.30 Set	64	2.645-374.0	For hose storage on the wall and as a mobile hose reel: the HR 4.30 set with a 30 m hose, accessories and nozzle holder offers both options for flexible watering.	☐
HBX 4.15 Automatic	65	2.645-377.0	Always ready for use: hose box for convenient and flexible watering. With a 15 m hose and automatic hose retraction – no more bending down, cranking or getting your hands dirty.	☐
HBX 4.20 Automatic	66	2.645-378.0	Always ready for use: hose box for convenient and flexible watering. With a 20 m hose and automatic hose retraction – no more bending down, cranking or getting your hands dirty.	☐
HBX 5.25 Automatic	67	2.645-379.0	No more bending down, cranking or getting your hands dirty: the hose box guarantees convenient and flexible watering. With a 25 m hose and automatic hose retraction.	☐
HBX 5.30 Automatic	68	2.645-380.0	The hose box for convenient, flexible and effortless watering. With a 30 m hose and automatic hose retraction – no more bending down, cranking or getting your hands dirty.	☐
HBX 5.35 Automatic	69	2.645-381.0	Always ready for use: hose box for convenient and flexible watering. With a 35 m hose and automatic hose retraction – no more bending down, cranking or getting your hands dirty.	☐
HBX 2.10 Compact	70	2.645-388.0	Compact hose box for balconies, roof terraces, small gardens and camping holidays. Fast, convenient unwinding and winding. Ideal for space-saving storage in apartments.	☐

☐ Available accessories.

ACCESSORIES FOR K 2 CLASSIC

1.673-570.0



		Order no.	Description	
HOSES				
PrimoFlex® hose 1/2" - 30 m	71	2.645-248.0	Ultra-durable and kink-resistant PrimoFlex® quality garden hose (1/2"). 30 m long. With pressure-resistant woven reinforcement. Contains no substances that are harmful to health. Bursting pressure: 24 bar. High temperature resistance from 0 to +40 °C.	☐
PrimoFlex® hose 1/2" - 15 m	72	2.645-296.0	The PrimoFlex® (1/2") flexible garden hose is 15 m long, temperature-resistant, comes with pressure-resistant reinforcement technology and contains no substances that are harmful to human health. Bursting pressure: 22 bar.	☐
PrimoFlex® 1/2" - 25 m	73	2.645-297.0	The PrimoFlex® (1/2") flexible garden hose is 25 m long, temperature-resistant, comes with pressure-resistant reinforcement technology and contains no substances that are harmful to human health. Bursting pressure: 24 bar.	☐
PrimoFlex® hose 5/8" - 15 m	74	2.645-298.0	15 m long, temperature-resistant and contains no substances that are harmful to human health: The flexible PrimoFlex® garden hose (5/8") with pressure-resistant reinforcement mesh and a bursting pressure of 22 bar.	☐
Hose Performance Plus 1/2" -20m	75	2.645-318.0	Flexible and extremely resistant to kinks thanks to high-quality multi-layered woven material: the new 20-metre long Performance Plus 1/2" garden hose. Ensures constant water flow.	☐
Hose Performance Plus 1/2" -50m	76	2.645-319.0	Flexible, ultra-robust and extremely resistant to kinks thanks to high-quality multi-layered woven material: the new 50-metre long Performance Plus 1/2" garden hose for constant water flow.	☐
Hose Performance Plus 5/8" -25m	77	2.645-320.0	Quality garden hose from Kärcher: the new 25-metre long Performance Plus 5/8" garden hose. Flexible and extremely resistant to kinks - for constant water flow. Bursting pressure 40 bar.	☐
Hose Performance Plus 5/8" -50m	78	2.645-321.0	The 50-metre long Performance Plus 5/8" garden hose, made from ultra-robust multi-layered woven material. Flexible and extremely resistant to kinks for constant water flow.	☐
Hose Performance Plus 3/4" -25m	79	2.645-322.0	Easy-to-handle, long-lasting and weather-resistant: the 25-metre long Performance Plus 3/4" garden hose. Flexible, ultra-robust and extremely resistant to kinks - for constant water flow.	☐
Hose Performance Plus 3/4" -50m	80	2.645-323.0	Ultra-robust, extremely resistant to kinks and free from potentially harmful substances: the 50-metre long Performance Plus 3/4" garden hose. Made from high-quality multi-layered woven material - for constant water flow.	☐
Performance Premium hose, 1/2" -20 m	81	2.645-324.0	The hose innovation from Kärcher: the ultra-flexible and kink-resistant Performance Premium garden hose. Diameter: 1/2". Length: 20 m. With Kärcher Premium anti-torsion technology.	☐
Hose Performance Premium 1/2"-50m	82	2.645-325.0	The hose innovation from Kärcher: the ultra-flexible and kink-resistant Performance Premium garden hose. Diameter: 1/2". Length: 50 m. With Kärcher Premium anti-torsion technology.	☐
Hose Performance Premium 5/8"-25m	83	2.645-326.0	The hose innovation from Kärcher: the ultra-flexible and kink-resistant Performance Premium garden hose. Diameter: 5/8". Length: 25 m. With Kärcher Premium anti-torsion technology.	☐
Hose Performance Premium 5/8" -50m	84	2.645-327.0	The hose innovation from Kärcher: the ultra-flexible and kink-resistant Performance Premium garden hose. Diameter: 5/8". Length: 50 m. With Kärcher Premium anti-torsion technology.	☐

☐ Available accessories.

ACCESSORIES FOR K 2 CLASSIC

1.673-570.0



		Order no.	Description	
HOSES				
Hose set for pressure washers	85	2.645-399.0	Hose set for pressure washers with 10 m PrimoFlex® hose (1/2"), G3/4 tap adaptor, 1 × hose connector and 1 × hose connector with Aqua Stop.	☐
	86	2.645-156.0	Hose set for high-pressure cleaning or garden watering. With 10 m PrimoFlex® hose (3/4"), G3/4 tap adaptor, 1 × universal hose connector and universal connector with Aqua Stop.	☐
Water supply hose set	87	2.645-258.0	Hose set for water supply (pressure washer, garden watering). With 10 m PrimoFlex® hose (1/2"), hose connector with and without Aqua Stop, and universal connection for non-threaded taps.	☐
PrimoFlex® hose 1/2" - 20 m	88	2.645-138.0	The PrimoFlex® (1/2") flexible garden hose is 20 m long, temperature-resistant, comes with pressure-resistant reinforcement technology and contains no substances that are harmful to health. Bursting pressure: 24 bar.	☐
PrimoFlex® hose 1/2" - 50 m	89	2.645-139.0	PrimoFlex® quality garden hose (1/2"). 50 m long. With pressure-resistant woven reinforcement. Contains no substances that are harmful to health. Bursting pressure: 24 bar. High temperature resistance from 0 to +40 °C.	☐
Primo Flex® hose 5/8" - 25 m	90	2.645-140.0	PrimoFlex® quality garden hose (5/8"). 25 m long. With pressure-resistant woven reinforcement. Contains no substances that are harmful to health. Bursting pressure: 24 bar. High temperature resistance from 0 to +40 °C.	☐
PrimoFlex® hose 5/8" - 50 m	91	2.645-141.0	PrimoFlex® quality garden hose (5/8"). 50 m long. With pressure-resistant woven reinforcement. Contains no substances that are harmful to health. Bursting pressure: 24 bar. High temperature resistance from 0 to +40 °C.	☐
PrimoFlex® hose 3/4" - 25 m	92	2.645-142.0	PrimoFlex® quality garden hose (3/4"). 25 m long. With pressure-resistant woven reinforcement. Contains no substances that are harmful to health. Bursting pressure: 24 bar. High temperature resistance from 0 to +40 °C.	☐
PrimoFlex® hose 3/4" - 50 m	93	2.645-143.0	PrimoFlex® quality garden hose (3/4"). 50 m long. With pressure-resistant woven reinforcement. Contains no substances that are harmful to health. Bursting pressure: 24 bar. High temperature resistance from 0 to +40 °C.	☐
HOSE CONNECTION SYSTEMS				
Universal hose coupling Plus	94	2.645-193.0	Universal hose coupling plus with soft plastic recessed grips for comfortable handling. Compatible with all click systems.	☐
Universal hose coupling Plus with Aqua Stop	95	2.645-194.0	Universal hose coupling plus with Aqua Stop and soft plastic recessed grips for comfortable handling. Compatible with all click systems.	☐

☐ Available accessories.